

Engineer guide

SURAPID
速捷电梯



KTL Elevator Co., Ltd.

SURAPID 速捷

EXPRESS ELEVATOR
CONSTRUCTION
BUILDING MOBILITY
SOLUTIONS


建筑楼宇出行解决方案

NEW XIAO ELEVATOR GROUP
新西奥电梯集团



Layout

Concrete ring beams are guaranteed here
(For guide rail bracket)
installation, the user's own care)



K=5570


PIT S=1500

RISE R=8200


The ladder, SURAPID provide

A - A VIEW

WF	DBE18n
3	5570
2	4100
1	4100




Narrow Jamb




1#R: E, HP
2#PARK SW ONLY FOR MAIN LANDING
During installation, determine whether to drill holes based on the junction box.
3#FIRE SW FOR FIRE SW SELECTED ONLY FOR MAIN LANDING.
FIRE HOLE FOR HALL EXCUSE INTERIOR DIA.41.5MM
PVC PIPE RECOMMENDED

FRONT VIEW (except top floor)



Roadway plane hook drawing (hook user's own)



The client agree completely to manufacture according to this drawing
Owner's Signature: _____

DATE: _____

REVISIONS		REACTIONS (KN)	
NAME	DATE	CHANGE	
			R1= 100
			R2= 85
			RR1= 33
			RR2= 48

PROJECT NAME :Moo Buntith

CONTRACT NO.:


DRAWING	FENG.XIONG
CHECKED	FENGLIU
FINAL	JUNMING WANG
DATE	2026/5/18

速捷电梯
SURAPID

PAGE 2 | PAGE 3


Drawing no.:

Note: This figure is not to scale



Counterweight side ring beam

Non counterweight side ring beam



Schematic diagram of host side guide rail non host side guide rail

Position of ring beam	
The client agree completely to manufacture according to this drawing Owner's Signature: _____	
DATE: _____	
REVISIONS	
NAME	CHANGE
PROJECT NAME :Moo Bunthid	
CONTRACT NO.:	
DRAWING	FENG.XIONG
CHECKED	FENGLIU
FINAL	JUNMING.WANG
DATE	2026/5/7/8

速捷电梯
SURAPID

Note: This figure is not to scale